

A sling is used to:

- Limit how much your arm moves.
- Make you more comfortable.
- Support your arm.

The sling fits well if:

- Your elbow rests in the bottom and corner pocket.
- Only your fingers show at the opening. Your wrist should fit inside and be supported by the sling.
- The strap goes around your shoulder or neck for support.
- Your arm is fairly level with your hand, slightly higher than your elbow.

Home Care:

- Adjust the sling to keep the hand inside. Slings tend to slip, making the elbow point up. Tug the elbow back into place.
- The fingers should feel warm and be a normal color.
- Try to keep the palm of the hand toward the body while wearing the sling.
- Take the sling off when going to sleep if this is okay with your doctor.
- Use an extra pillow at night to protect the arm. Slide the arm between a pillow and the cover.
- Take baths or showers as told by your doctor.
- Only take medicine as told by your doctor.

When to wear the sling

- All the time until your follow up appointment
- As you need for comfort
- During the day
- At night while you sleep
- Remove your sling each day to wash your arm or to do your exercises

Get help right away if:

- The fingers turn cold or start to tingle.
- The arm pain gets worse.
- The pain is not helped by medicine or by adjusting the sling.

Make sure you

- Understand these instructions.
- Will watch this condition.
- Will get help right away if you are not doing well or get worse

For any questions or clarification please call your Doctor or orthopedic clinic at the extension: 5300

Contact info:
+961 1 372888
ext: 5300



Arm Sling Use